



UNITED STATES PATENT AND TRADEMARK OFFICE

m-l

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|------------------------|------------------|
| 10/735,441 | 12/12/2003 | Magdalena Faisst | 3201-364 (D4700-00378) | 2031 |

7590
STEPHAN P. GRIBOK
DUANE MORRIS LLP
ONE LIBERTY PLACE
PHILADELPHIA, PA 19103

02/27/2007

| |
|----------|
| EXAMINER |
|----------|

STERLING, AMY JO

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

3632

| SHORTENED STATUTORY PERIOD OF RESPONSE | MAIL DATE | DELIVERY MODE |
|--|------------|---------------|
| 3 MONTHS | 02/27/2007 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/735,441

Applicant(s)

FAISST ET AL.

Examiner

Amy J. Sterling

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 January 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 11-16 is/are allowed.
- 6) ☒ Claim(s) 1-10, 17, 18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This is the **Final Office Action** for application number 10/735,441 Arrangement for Attaching a Hygienic Article, filed on 12/12/03. Claims 1-18 are pending. This **Final Office Action** is in response to applicant's reply dated 1/26/07. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Applicant's amendment necessitated any new ground(s) of rejection presented in this Office action.

Claim Rejections - 35 USC § 102

Claims 1-10, 17 and 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Japanese Patent No. 291572.

Japanese 291572 teaches an arrangement for attaching a hygienic article having a wall mounting rod being a length of hollow profiled stock that has a continuous guiding profile having a slot/groove (2) open to a front side and open to both end faces and a plurality of identical brackets (8) wherein the arrangement leaves clear the guiding profile and wherein the bracket is attachable to the all mounting rod in the vicinities of the ends of the wall mounting rod by inserting the bracket into the wall mounting rod such that the attachment section engaged an interior of the profiled stock, wherein the brackets have two attachment sections including a means for guiding the wall mounting rod (10, 11) and are configured to be attached to two sections being

Art Unit: 3632

engageable with ends to two sections of the all mounting rod at a joint and configured for attaching a form-fit terminating component (23) and configured for connecting two ends of the wall mounting rod that are coaxially arranged, wherein the two attachment sections (10, 11) are separated by a broadened land (12)

Response to Arguments

Applicant's arguments with respect to claims 1-10, 17 and 18 have been considered but are moot in view of the new ground(s) of rejection.

Allowable Subject Matter

Claims 11-16 are allowed.

The reason is that the prior art does not teach that the groove extends into the lower terminating component.

Conclusion


THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 3632

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action. Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The fax machine number for the Technology center is 571-273-8300 (formal amendments) or 571-273-6823 (informal communications only). Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.

Amy J. Sterling
Primary Examiner
2/20/07


AMY J. STERLING
PRIMARY EXAMINER
TECHNOLOGY CENTER 3600